

**"Eurofins Labtarna Lietuva", UAB**

Kauno str.1A , LT-01314 Vilnius, Lithuania

info@labtarna.lt, www.eurofins.lt

Tel.: +370 620 32211

**GAFTA and FOSFA  
LABORATORY-MEMBER**

page: 1/2

2022-12-14

**ANALYSIS REPORT No. TP22-27202****Customer:****SIA Spectrome****Lielā Katrīnas 23, Cēsis, LV-4101,**

Sampling date: 2022-11-15

Sample received: 2022-11-22

Analyses started: 2022-11-22

Analyses completed: 2022-12-13

Sampled by: SIA Spectrome


Request No. U22-13304

Request date: 2022-11-18

Sample No.	Testing object	Analysis	Result
M22-53581	1. Hericium Erinaceus Extract, 15.11.2022., 550g (mushroom based food supplement) . Date / time / temperature of sampling: 15.11.2022., +20.5°C	Salt (NaCl) calculated from sodium content (A) Rozp.(UE) 1169/2011 z dn. 25.10.2011r. (S)	0.12 g/100g
		Carbohydrate (A) According to regulation 1169/2011 (S)	66.1 %
		Energy value (A) According to regulation 1169/2011 (S)	1165 kJ/100g
		Energy value (S) According to regulation 1169/2011 (S)	281 kcal/100g
		Protein content (Nx6.25) (A) ISO 1871:2009 (S)	17.50 %
		Moisture (A) <sup>1)</sup> PN-A-79011-3:1998 (S)	5.0 %
		Dry matter (A) PN-A-79011-3:1998 (S)	95.0 %
		Ash content (A) PN-A-79011-8:1998 (S)	6.92 %
		Total fat (A) PB/CH/51, 2022.04.07	4.52 %
		Saturated fatty acids (A) PN-EN ISO 12966-1:2015-01 + AC:2015-06 (S)	1.49 g/100g
		Total sugars (A) PB/CH/36 wyd. 4 z dnia 31.10.2019 (S)	<0.10 %
		Total dietary fibre (A) AOAC 991.43:1994 (S)	47.0 %
		Beta-Glucan (yeast/mould) (N) Internal method(S)	37.0 %

Analysis results refer only to analysed samples. The test results shall not be reproduced except in full without written permission of "Eurofins Labtarna Lietuva", UAB. The client has the right to complain within 14 days from receipt of the analysis report. (A) – accredited method. (N) – not accredited method. (S) – analysis performed by subcontractors. DMB – dry matter basis. < – concentration below the limit of quantification (LOQ). Expanded measurement uncertainty expressed as standard uncertainty multiplied by the coverage factor  $k = 2$ , representing 95% confidence level. Combined standard uncertainty for microbiology analyzes has been taken as reproducibility standard deviation. The contributions of sampling on measurement uncertainty are not considered. Information provided by the Customer are indicated at the following locations of analysis report: Customer; Sampling date; Sampled by; Testing object.

1) 103 °C

Results confirmed by: Ieva Mikalauskaitė, Head of Chemistry Department	Issued by Customer Support Department: Natalija Matušova, 2022-12-14	
---	---	---